






EXISTING LIGHTING FIRST FLOOR  
SCALE: 1/4" = 1'-0"

LEGEND:

-  NEW 2'X4' WHITE FLAT PANEL LED LIGHT, 3200 MINIMUM LUMENS, 4000K LIGHT TEMPERATURE, TO BE INSTALLED.
-  LAMP TO REMAIN
-  3 NEW EXIT SIGN AND EMERGENCY LED TWO LIGHT COMBO, WITH BATTERY BACKUP OF 60 MINUTES RUN TIME OR MORE. RATED UL 924, UL DAMP LOCATION AND NFPA 101, TO BE INSTALLED.
-  2/E NEW LED TWO - LIGHT EMERGENCY FIXTURE WITH BATTERY BACKUP OF 60 MINUTES RUN TIME OR MORE. RATED UL 924, UL DAMP LOCATION AND NFPA 101, TO BE INSTALLED.



REVISIONS		
NO.	DESCRIPTION	DATE

TRIBUNAL GENERAL DE JUSTICIA  
OFICINA DE ADMINISTRACION DE LOS TRIBUNALES  
DIRECTORIA DE ADMINISTRACION  
OFICINA DE ADMINISTRACION Y CONSERVACION DE LOCALES

APPROVED BY: \_\_\_\_\_ APPROVED DATE: \_\_\_\_\_

APPROVED SIGN: \_\_\_\_\_

PROJECT NAME: DIGITALIZACION DE PLANOS DE FACILIDADES DEL T. G. J.	GERENTE DE PROYECTO: CAROL F. ARCHO
PROJECT LOCATION: T.P.I. SALINAS,(0805) R.J. GUAYAMA	PROJECT DATE: 15/OCTUBRE/2025
DRAWING DESCRIPTION: PLANO ILUMINACION PRIMER PISO	PRINTING DATE: 15/OCTUBRE/2025
CHECKED BY: ING.DANIEL PADILLA	DRAWING SCALE: 1/4"=1'-0"
DRAWING BY: P.MORALES	FILE NAME: 0805-EXISTING.dwg
SHEET NO. F-01	
OF: 2	